L Number	Hits	Search Text	DB	Time stamp
1	66412	(record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:26
2	5677	((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:26
3	1589	(((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:26
4	1403	((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:27
5	839	(((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:27
6	723	((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:27
7	611	(((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:35
8	147	((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:28

9	5	((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:29
10	142	(((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) not (((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) and 347/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:31
11	68	(((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) not (((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) and 347/$.ccls.)) and board$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:31

12	10	((((((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) not ((((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) and 347/$.ccls.)) and board$1) and (negative near3 feedback)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:33
13	58	(((((((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) not ((((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) and 347/$.ccls.)) and board$1) not (((((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) not ((((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and (piezoelectric$1 or transducer$1)) and 347/$.ccls.)) and board$1) and (negative near3 feedback))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:33

14	11	(((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:37
15	4497	((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:37
16	54	(((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:38
17	43	(((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and 347/$.ccls.) not (((((((((record$4 or print$4) and (cable$1 or wire$1 or connection) and (drop$4 or loss or atenuat$4) and voltage) and ((cable$1 or wire$1 or connection) same (drop$4 or loss or atenuat$4) same voltage)) and feedback$4) and (resistor$1 or capacitor$1)) and (feedback same (resistor$1 or capacitor$1))) and (amplifier$1)) and (amplifier$1 same feedback)) and 347/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 13:38